# Photocontrol of protein conformation in a Langmuir monolayer

Pietro Cicuta, Ian Hopkinson, and Peter G. Petrov<sup>a)</sup>
Cavendish Laboratory, University of Cambridge, Madingley Road, Cambridge CB3 0HE, United Kingdom

(Received 9 July 2001; accepted 9 October 2001)

We report a method to control the conformation of a weak polyampholyte (the protein  $\beta$ -casein) in Langmuir monolayers by light, even though the protein is not photosensitive. Our approach is to couple the monolayer state to a photochemical reaction excited in the liquid subphase. The conformational transition of the protein molecule is triggered through its sensitivity to a subphase bulk field (pH in this study), changing in the course of the photochemical process. Thus, reaction of photoaquation of the ferrocyanide ion, which increases the subphase pH from 7.0 to about 8.3, produces a change in the surface monolayer pressure,  $\Delta\Pi$ , between -0.5 and +1.5 mN/m (depending on the surface concentration), signalling a conformational switch. The approach proposed here can be used to selectively target and influence different interfacial properties by light, without embedding photosensitizers in the matrix. © 2001 American Institute of Physics.

[DOI: 10.1063/1.1423666]

#### I. INTRODUCTION

It is well known that the state of monolayers spread on a liquid support can be changed by light. So far, the approach has been to prepare Langmuir monolayers of specially synthesized photochromic substances able to isomerize under illumination with light of a suitable wavelength. Lightinduced cis-trans isomerization of chromophores based on azobenzene and stilbene has often been used<sup>1-5</sup> and large changes in the monolayer pressure-area isotherms have been achieved.<sup>2</sup> Another extensively exploited isomerization reaction is based on the photoconversion of spiropyran chromophores into merocyanine species.<sup>6-10</sup> In this paper we propose a different approach, where the properties of the bulk liquid subphase are changed by a photochemical reaction. Using the sensitivity of the monolayer molecules to changes in the subphase, an indirect photoresponse is triggered in the monolayer. Thus, it is not necessary to chemically modify the monolayer in order to achieve a photocontrolled response. Following this approach, we demonstrate here how the rich conformational behavior of a protein in a Langmuir monolayer can be controlled and directed noninvasively by light.

### **II. PHOTOCHEMISTRY**

We used the photoaquation<sup>11</sup> of hexacyanoferrate (II) ion,  $Fe(CN)_6^{4-}$ , to change the pH of the liquid subphase beneath a  $\beta$ -casein monolayer. Under illumination in aqueous solution, one of the cyanide ions is released from the coordination sphere of  $Fe^{2+}$  and substituted by a water molecule to give aquapentacyanoferrate (II),  $Fe(CN)_5H_2O^{3-}$ . The released  $CN^-$  is protonated to the weak hydrocyanic acid, HCN, which causes a pH increase in the solution. <sup>12</sup> These processes are reversible when the illumination is stopped. In

this way, ferrocyanide photoaquation may be used to photochemically control pH. Recently, a similar concept was used in order to tune the effective spontaneous curvature of giant phospholipid vesicles.<sup>13</sup>


We measured photometrically the light-induced pH change of 1 mM potassium hexacianoferrate (II) solution. Upon irradiation the pH increases monotonically from 7.0 to about 8.3. After turning off the light, the pH decreases to a constant value, slightly higher (by about 0.1) than the initial "dark" pH. It has been shown<sup>12</sup> that a number of additional chemical processes can be expected (e.g., dimerization of  $Fe(CN)_5H_2O^{3-}$ , acid-base equilibrium of the dimer, etc.) which have resulted in a nonmonotonic pH change with time. These, however, take place at longer illumination times and slightly higher concentrations. The monotonic pH increase during illumination, observed by us, is a strong indication that the ferrocyanide aquation and cyanide protonation are the primary photochemical processes under our experimental conditions.

#### III. PROTEIN MONOLAYER CHARACTERIZATION

The protein  $\beta$ -casein is a weak polyampholyte with an amino acid sequence with basic and acidic groups, whose charge can be adjusted by pH. Its isoelectric point  $pI \approx 5$ . The N-terminal region is more hydrophilic than the rest of the chain, because many of the groups bear charge. When the protein is spread as a Langmuir monolayer, this hydrophilic part would be expected to extend into the subphase to form a "tail."  $^{15-17}$ 

We characterized the protein monolayer by recording the surface pressure–surface concentration isotherms,  $\Pi(\Gamma)$ , using a Langmuir trough. Figure 1(a) shows the results for two different subphase pH values, 7.0 and 8.3, corresponding to the expected change in the pH due to the photochemical reaction. Figure 1(b) represents the static dilational modulus,  $\epsilon = \Gamma(d\Pi/d\Gamma)$ , as a function of  $\Pi$ , extracted from Fig. 1(a). At low surface coverage,  $\Gamma < 0.8 \, \text{mg/m}^2$ , the protein mol-

a)Author to whom correspondence should be addressed. Present address: School of Physics, University of Exeter, Stocker Road, Exeter EX4 4QL, UK. Electronic mail: p.g.petrov@exeter.ac.uk






FIG. 1. (a) Surface pressure–surface concentration isotherms of  $\beta$ -casein monolayer at pH=7.0 (dashed line) and pH=8.3 (solid line). The subphase pH was adjusted by 100 mM phosphate buffer. (b) Static dilational modulus,  $\epsilon$ , as a function of the surface pressure,  $\Pi$ , as calculated from (a).

ecules are assumed to be adsorbed entirely on the liquid surface in train conformation with no tails or loops protruding into the liquid phase. Here, the surface pressure at pH=8.3is slightly, but distinguishably higher than the surface pressure at neutral pH [see Fig. 1(a)]. This reflects the fact that the polyampholyte molecule is more swollen at higher pH due to increased charge density. Conformational changes, such as tail protrusion in the liquid and/or formation of loops, are expected when the monolayer is compressed, depending on the subphase pH and ionic strength.  $\bar{^{15,16,18}}$  It has been proposed that a maximum in the  $\epsilon$  versus  $\Pi$  dependence [Fig. 1(b)] could be considered as an onset of a conformational transition and the following minimum is the end of that transition. 15,18,19 On this basis, the first maximum (at  $\Pi \approx 6$  mN/m for pH=7.0 and  $\Pi \approx 4$  mN/m for pH=8.3) appears to reflect the onset of tail formation, due to the more hydrophilic N-terminus of the  $\beta$ -casein molecule. <sup>18,19</sup> The second maximum, at  $\Pi \approx 16 \,\text{mN/m}$  for pH = 7.0 and  $\Pi$  $\approx$  11 mN/m for pH=8.3, has been tentatively assigned to the onset of loop formation. 18 Direct structural probe techniques to resolve the surface conformation of this protein, like neutron<sup>20</sup> or x-ray reflectivity, have been limited to high surface concentrations. Only recently, Harzallah et al.21 were able to achieve enough sensitivity at relatively low surface coverage between 1.14 and 2.69 mg/m<sup>2</sup> for adsorption layers of  $\beta$ -casein. At the lowest  $\Gamma = 1.14 \text{ mg/m}^2$  and pH = 7.1, the molecules were accommodated on the liquid surface as trains (56%) and loops or the N-tail (44%) with area per molecule  $\approx 3500$  Å<sup>2</sup>. In contrast, at higher concentrations  $(\Gamma > 2.13 \text{ mg/m}^2)$ , the train fraction decreased to about 30%, and the rest 70% of the protein sequence was present as loops and long tails. This, together with a two-fold decrease in the area per molecule to  $\approx 1870 \text{ Å}^2$ , is in unison with the simplified conformational picture conjectured on the basis of thermodynamic  $(\Pi, \epsilon)$  measurements. A detailed discussion of the conformational behavior in  $\beta$ -casein monolayers can be found in Ref. 18.

## IV. PHOTOCONTROL OF PROTEIN CONFORMATION

The experimental set up to induce conformational transitions of the protein monolayer is straightforward. We chose to work with small surface areas in order to achieve more intense and homogeneous illumination and used a small circular vessel (Petri dish of 6.8 cm diameter) as the Langmuir trough. The light source, a 100 W halogen lamp, was mounted about 15 cm from the liquid surface to produce unattenuated homogeneous illumination. The power density, measured using a calibrated photodiode after a 505-575 nm bandpass filter, was 18 mW/cm<sup>2</sup>. The protein monolayer was spread on a subphase containing 1 mM potassium hexacyanoferrate (II) and 100 mM NaCl. The surface pressure was recorded by a Wilhelmy plate. For each experiment, a new monolayer of different surface concentration was spread, which was equivalent to the standard Langmuir trough procedure, where the surface concentration is altered by changing the surface area.<sup>22</sup> This procedure also ensured a standard initial state of the monolayer under "dark" conditions. After recording the surface pressure, the photochemical reaction was initiated by turning the illumination on and the surface pressure relaxation was followed.

We recorded light-induced jumps in the surface pressure spanning the entire region of surface concentrations from 0 to about 2.2 mg/m². Four examples, for different concentration regions, are shown in Fig. 2. Generally, we observed fast changes in the surface pressure before it leveled off to a plateau (see Fig. 2). Often, especially at higher surface pressures, the system exhibited a more complicated pressure trend over a longer time scale (data not shown) most probably due to stress redistribution in the viscoelastic protein network.

Two additional control experiments were performed. First, we checked the impact of the heat produced by the light source in a system without the photochemical compound. This produced a negligible change in the surface pressure. The second experiment was performed in the presence of ferrocyanide, but this time in a pH buffered subphase, ensuring that although the photochemical reaction occurred, there was no change in pH. Again, no change in the surface pressure was observed during illumination. This is an




FIG. 2. Four examples of light-induced surface pressure jumps for different initial surface concentrations, signalling different types of conformational switch. The surface concentration and the corresponding initial surface pressure increase from (a) to (d). The relaxation times  $\tau$  were extracted by exponential fits (solid lines) to the experimental data.

evidence that the primary photochemical coupling is by the photo-induced pH change. Photo-induced changes in the ionic strength were negligible, compared to the ionic strength set by the inert monovalent electrolyte used throughout all the experiments (100 mM NaCl).

Figure 3 shows the dependence of the photoinduced surface pressure jump,  $\Delta\Pi$ , on the initial surface pressure under "dark" conditions,  $\Pi_i$ . The solid line shows the expected jump in the surface pressure due to the change in the subphase pH, obtained from the pressure-concentration isotherms in Fig. 1. The agreement is fairly good, with the photochemical system recovering all the important features,




FIG. 3. Dependence of photo-induced surface pressure jump,  $\Delta\Pi = \Pi_i - \Pi_f$ , on the initial monolayer surface pressure in "dark,"  $\Pi_i$  (solid circles). The solid line represents the difference in the monolayer surface pressures for two different values of the subphase pH, 7.0 and 8.3, calculated from Fig. 1(a).




FIG. 4. Dependence of the relaxation time,  $\tau$ , on the initial monolayer surface pressure in "dark,"  $\Pi_i$ .

particularly the negative value of  $\Delta\Pi$  at very low initial pressures and the presence and approximate position of the maximum.

The protein behavior can now be discussed on the basis of the proposed molecular conformation as evidenced by the change in the static dilational modulus due to pH changes [see Fig. 1(b) and its discussion above]. At low surface concentrations (corresponding to low initial surface pressures), irradiation leads to increase in the surface pressure [Fig. 2(a)] and  $\Delta\Pi$  is negative. Here, the molecules are in all-train conformation. The light-induced pH increase causes swelling of the molecules due to their charging and this leads to increased surface pressure. With the increase of the initial pressure, a crossover to positive  $\Delta\Pi$  is observed and the photoinduced conformational switch has a different character. The pressure relaxations in Figs. 2(b) and 2(c) reflect transitions from train to tail conformations [cf. Fig. 1(b)]. That of 2(d) can be assigned to a light-induced formation of loops, i.e., transition from tail to tail-and-loop conformation.

All data for the surface pressure relaxation are described well by a single relaxation time,  $\tau$ , using the exponential decay function  $\Pi(t) - \Pi_f = \Delta \Pi \exp(-t/\tau)$  (where  $\Pi_f$  is the plateau value of the surface pressure). The exponential relaxation in this system can be understood as a first-order kinetics assuming a rate of conformational reorientation proportional to the instantaneous number of molecules to be converted.<sup>23</sup> Further, we found an increase of the relaxation time with the increase of the initial pressure  $\Pi_i$  (Fig. 4). This fact makes clear that the slowest and therefore ratedetermining step in the whole chain of processes (photoinduced pH increase $\rightarrow$ charging of molecules $\rightarrow$ conformational transition) is the conformational rearrangement in the protein monolayer. Obviously, the  $\tau(\Pi_i)$  trend is due to steric hindrance and entanglement of the protein molecules at higher surface concentrations, increasing the energy barrier for conformational transition. By way of contrast, a recent study of cis-trans photoisomerization kinetics in Langmuir monolayers of azobenzene-containing dendrons showed the opposite




FIG. 5. Reversibility of the photo-induced conformational switch. The illumination has been turned on at t = 120 s and off at t = 300 s (see the dashed lines).

trend: the isomerization was facilitated at higher pressures, probably due to collective behavior.<sup>5</sup>

Finally, we would like to discuss the reversibility of the photo-induced conformational transitions. As mentioned earlier, the ferrocyanide photoaquation is reversible upon turning the illumination off. Our experimental results show that full recovery of the surface pressure after ceasing the illumination is possible at low surface concentrations, where the only process induced is the swelling/deswelling of the polyampholyte chain. The system exhibits interesting behavior in the intermediate region of the initial surface pressures between 5 and 8 mN/m. Light-induced transitions here are almost completely irreversible (data not shown) and the monolayer appears to be trapped in a metastable state after the illumination. This corresponds, according to Fig. 1, to the only region of surface concentrations, where both the pressure and the dilational modulus must increase if the monolayer were to relax to its initial condition after the illumination has been terminated. At higher surface concentrations (initial pressures above 8 mN/m), the conformational transitions are, at best, only partially reversible, despite the practically full recovery of the initial "dark" value of the subphase pH. This situation is illustrated in Fig. 5. Another factor affecting the conformational reversibility is the exposure time. Longer illumination times appear to make the light-induced conformational transition irreversible.

# V. SUMMARY AND CONCLUSIONS

In summary, we have demonstrated a novel method to control the molecular conformation in Langmuir monolayers by coupling the monolayer state to a photochemical reaction taking place in the bulk of the liquid subphase. We have shown how different types of conformational switch (swelling of the polyampholyte chain, train-to-tail and tail-to-tail-and-loop transitions) can be induced by light by selecting the surface concentration. We consider the present approach as a particular case within a more general scheme of coupling between ongoing bulk chemistry and interfacial material properties and topology, manifested in many biological and technologically important processes. Identification of suitable couplings, especially to photochemical and oscillating chemical reactions, would be of particular interest in this respect.

#### **ACKNOWLEDGMENTS**

Useful discussions with H.-G. Döbereiner, E. M. Terentjev, M. Warner, and S. M. Clarke are greatly appreciated. This work has been financially supported by EPSRC UK.

- <sup>1</sup>H. S. Blair, H. I. Pogue, and J. E. Riordan, Polymer **21**, 1195 (1980).
- <sup>2</sup>O. Karthaus, M. Shimomura, M. Hioki, R. Tahara, and H. Nakamura, J. Am. Chem. Soc. 118, 9174 (1996).
- <sup>3</sup>T. Seki, H. Sekizawa, S. Morino, and K. Ichimura, J. Phys. Chem. **102**, 5313 (1998).
- <sup>4</sup>I. Kim, J. F. Rabolt, and P. Stroeve, Colloids Surf., A 171, 167 (2000).
- <sup>5</sup> A. Sidorenko, C. Houphouet-Boigny, O. Villavicencio, M. Hashemzadeh, D. V. McGrath, and V. V. Tsukruk, Langmuir 16, 10569 (2000).
- <sup>6</sup>E. E. Polymeropoulos and D. Möbius, Ber. Bunsenges. Phys. Chem. 83, 1215 (1979).
- <sup>7</sup>H. Gruler, R. Vilanove, and F. Rondelez, Phys. Rev. Lett. 44, 590 (1980).
- <sup>8</sup>R. Vilanove, H. Hervet, H. Gruler, and F. Rondelez, Macromolecules 16, 825 (1983).
- <sup>9</sup>D. Möbius and H. Grüniger, in *Charge and Field Effects in Biosystems*, edited by M. J. Allen and P. N. R. Usherwood (Abacus, Tunbridge Wells, 1984), p. 265.
- <sup>10</sup>I. Panaiotov, S. Taneva, A. Bois, and F. Rondelez, Macromolecules 24, 4250 (1991).
- <sup>11</sup>L. Moggi, F. Bolletta, V. Balzani, and F. Scandola, J. Inorg. Nucl. Chem. 28, 2589 (1966).
- <sup>12</sup> Y. Mori, G. Rábai, and I. Hanazaki, J. Phys. Chem. 98, 12968 (1994).
- <sup>13</sup> P. G. Petrov, J. B. Lee, and H.-G. Döbereiner, Europhys. Lett. 48, 435 (1999)
- <sup>14</sup> K. D. Schwenke, in *Proteins at Liquid Interfaces*, edited by D. Möbius and R. Miller (Elsevier, Amsterdam, 1998), p. 1.
- <sup>15</sup>D. E. Graham and M. C. Philips, J. Colloid Interface Sci. 70, 415 (1979).
- <sup>16</sup>E. Dickinson, B. S. Murray, and G. Stainsby, in *Advances in Food Emulsions and Foams*, edited by E. Dickinson and G. Stainsby (Elsevier Applied Science, London, 1988), p. 123.
- <sup>17</sup> F. A. M. Leermakers, P. J. Atkinson, E. Dickinson, and D. S. Horne, J. Colloid Interface Sci. 178, 681 (1996).
- <sup>18</sup>P. Cicuta and I. Hopkinson, J. Chem. Phys. **114**, 8659 (2001).
- <sup>19</sup> M. Mellema, D. C. Clark, F. A. Husband, and A. R. Mackie, Langmuir 14, 1753 (1998).
- <sup>20</sup> E. Dickinson, D. S. Horne, J. S. Phipps, and R. M. Richardson, Langmuir 9, 242 (1993).
- <sup>21</sup>B. Harzallah, V. Aguié-Béghin, R. Douillard, and L. Bosio, Int. J. Biol. Macromol. 23, 73 (1998).
- <sup>22</sup>C.-S. Gau, H. Yu, and G. Zografi, J. Colloid Interface Sci. **162**, 214
- <sup>23</sup>K. Balashev, I. Panaiotov, and J. E. Proust, Langmuir 13, 5373 (1997).